

Type	Coil	Tip Angle	Length	Drop	Frequency	Shaft Size	Connector	Part ID	Item N.	Cable ID	Item N.
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9222337.00	U8626053	9122083	U8800073
Flexible	Absolute Bridge	Straight	6 in. (152.4 mm)	0	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9222338.00	U8629362	9122083	U8800073
Flexible	Absolute Bridge	45°	7 in. (177.8 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9230085.00	U8626055	9122083	U8800073
Flexible	Absolute Bridge	90°	8 in. (203.2 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9230146.00	U8629467	9122083	U8800073
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9230384.00	U8614285	9122083	U8800073
Flexible	Absolute Bridge	Straight	4 in. (101.6 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9230388.00	U8629090	9122083	U8800073
Flexible	Absolute Bridge	Straight	10 in. (254 mm)	0	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9230394.00	U8616110	9122083	U8800073
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	9230466.00	U8623224	9122244	U8800091
Flexible	Absolute Bridge	Straight	6 in. (152.4 mm)	0	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	9230484.00	U8629162	9122244	U8800091
Flexible	Absolute Bridge	Straight	8 in. (203.2 mm)	0	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9230489.00	U8614287	9122083	U8800073
Flexible	Absolute Bridge	45°	4 in. (101.6 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9230535.00	U8616118	9122083	U8800073
Flexible	Absolute Bridge	90°	10 in. (254 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9230964.00	U8614290	9122083	U8800073
Flexible	Absolute Bridge	90°	12 in. (304.8 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9231011.00	U8629615	9122083	U8800073
Flexible	Absolute Bridge	Straight	6 in. (152.4 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	9231353.00	U8629213	9122244	U8800091
Flexible	Absolute Bridge	Straight	9 in. (228.6 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	9231354.00	U8629214	9122244	U8800091
Flexible	Absolute Bridge	Straight	4 in. (101.6 mm)	0	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	9231372.00	U8623226	9122244	U8800091
Flexible	Absolute Bridge	Straight	12 in. (304.8 mm)	0	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	9231600	U8629075	9122244	U8800091
Flexible	Absolute Bridge	90°	4 in. (101.6 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9231640	U8629992	9122083	U8800073
Flexible	Absolute Bridge	Straight	4 in. (101.6 mm)	0	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9231643	U8610976	9122083	U8800073
Flexible	Absolute Bridge	90°	4 in. (101.6 mm)	0.03 in. (0.76 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9231646	U8629381	9122083	U8800073
Flexible	Absolute Bridge	Straight	4 in. (101.6 mm)	0	50 kHz to 100 kHz	0.125 in. (3.17 mm)	Powerlink™	9231665	U8626042	9122083	U8800073
Flexible	Absolute Bridge	45°	7 in. (177.8 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9231683	U8626044	9122083	U8800073
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9231698	U8610438	9122083	U8800073
Flexible	Absolute Bridge	45°	6 in. (152.4 mm)	0.2 in. (5.08 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	9231699	U8250098	9122244	U8800091
Flexible	Absolute Bridge	90°	11 in. (279.4 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9231726	U8623307	9122083	U8800073
Flexible	Absolute Bridge	45°	11 in. (279.4 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9231727	U8623268	9122083	U8800073
Flexible	Absolute Bridge	45°	10 in. (254 mm)	0.1 in. (2.54 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9231748	U8629261	9122083	U8800073
Flexible	Absolute Bridge	90°	3 in. (76.2 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9231854	U8629363	9122083	U8800073
Flexible	Absolute Bridge	Straight	3 in. (76.2 mm)	0	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9231855	U8629361	9122083	U8800073
Flexible	Absolute Bridge	30°	3 in. (76.2 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9231964	U8629475	9122083	U8800073
Flexible	Absolute Bridge	Straight	9 in. (228.6 mm)	0	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	9231977	U8629549	9122244	U8800091
Flexible	Absolute Bridge	Straight	9 in. (228.6 mm)	0	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9232022	U8767359	9122083	U8800073
Flexible	Absolute Bridge	Straight	12 in. (304.8 mm)	0	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9232153	U8610975	9122083	U8800073

Type	Coil	Tip Angle	Length	Drop	Frequency	Shaft Size	Connector	Part ID	Item N.	Cable ID	Item N.
Flexible	Absolute Bridge	Straight	5 in. (127 mm)	0	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9232172	U8629751	9122083	U8800073
Flexible	Absolute Bridge	45°	9 in. (228.6 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9232273	U8632233	9122083	U8800073
Flexible	Absolute Bridge	90°	9 in. (228.6 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9232274	U8629934	9122083	U8800073
Flexible	Absolute Bridge	Straight	4 in. (101.6 mm)	0	200 kHz to 1 MHz	0.072 in. (1.83 mm)	Powerlink™	9403363	U8616148	9122083	U8800073
Flexible	Absolute Bridge	Straight	4 in. (101.6 mm)	0	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Powerlink™	9403364	U8616149	9122083	U8800073
Flexible	Absolute Bridge	Straight	9 in. (228.6 mm)	0	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Powerlink™	9403423	U8629551	9122083	U8800073
Flexible	Absolute Bridge	Straight	6 in. (152.4 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9403428	U8629654	9122083	U8800073
Flexible	Absolute Bridge	Straight	6 in. (152.4 mm)	0	200 kHz to 1 MHz	0.094 in. (2.39 mm)	Powerlink™	9403440	U8616158	9122083	U8800073
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.094 in. (2.39 mm)	Powerlink™	9403441	U8629693	9122083	U8800073
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.3 in. (7.62 mm)	200 kHz to 1 MHz	0.094 in. (2.39 mm)	Powerlink™	9403442	U8629694	9122083	U8800073
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.4 in. (10.16 mm)	200 kHz to 1 MHz	0.094 in. (2.39 mm)	Powerlink™	9403443	U8629695	9122083	U8800073
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.094 in. (2.39 mm)	Powerlink™	9403444	U8629696	9122083	U8800073
Flexible	Absolute Bridge	90°	4 in. (101.6 mm)	0.4 in. (10.16 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9403472	U8629776	9122083	U8800073
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.4 in. (10.16 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9403474	U8629778	9122083	U8800073
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9403496	U8629966	9122083	U8800073
Flexible	Absolute Bridge	Straight	8 in. (203.2 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9403500	U8626139	9122083	U8800073
Flexible	Absolute Bridge	Straight	8 in. (203.2 mm)	0	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Powerlink™	9403503	U8626140	9122083	U8800073
Flexible	Absolute Bridge	Straight	10 in. (254 mm)	0	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP-100FX	U8620487	9102894	U8800041
Flexible	Absolute Bridge	30°	5 in. (127 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP305-50FX	U8629051	9102894	U8800041
Flexible	Absolute Bridge	30°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP305-60FX	U8616331	9102894	U8800041
Flexible	Absolute Bridge	30°	7 in. (177.8 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP305-70FX	U8629757	9102894	U8800041
Flexible	Absolute Bridge	30°	7 in. (177.8 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.072 in. (1.83 mm)	Microdot	MMP305-70FX-200K-1M	U8629758	9102894	U8800041
Flexible	Absolute Bridge	Straight	3 in. (76.2 mm)	0	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP-30FX	U8610623	9102894	U8800041
Flexible	Absolute Bridge	Straight	3 in. (76.2 mm)	0	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Microdot	MMP-30FX-1-3M	U8616367	9102894	U8800041
Flexible	Absolute Bridge	Straight	4 in. (101.6 mm)	0	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP-40FX	U8616153	9102894	U8800041
Flexible	Absolute Bridge	Straight	4 in. (101.6 mm)	0	200 kHz to 1 MHz	0.072 in. (1.83 mm)	Microdot	MMP-40FX-200K-1M	U8616154	9102894	U8800041
Flexible	Absolute Bridge	Straight	4 in. (101.6 mm)	0	1 MHz to 6 MHz	0.072 in. (1.83 mm)	Microdot	MMP-40FX-6M	U8620420	9102894	U8800041
Flexible	Absolute Bridge	45°	3 in. (76.2 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP455-30FX	U8616336	9102894	U8800041
Flexible	Absolute Bridge	45°	4 in. (101.6 mm)	0.5 in. (12.7 mm)	1 MHz to 6 MHz	0.072 in. (1.83 mm)	Microdot	MMP455-40FX-6M	U8616442	9102894	U8800041
Flexible	Absolute Bridge	45°	4 in. (101.6 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP455-40FX	U8620445	9102894	U8800041
Flexible	Absolute Bridge	45°	5 in. (127 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP455-50FX	U8616337	9102894	U8800041
Flexible	Absolute Bridge	45°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP455-60FX	U8620013	9102894	U8800041

Type	Coil	Tip Angle	Length	Drop	Frequency	Shaft Size	Connector	Part ID	Item N.	Cable ID	Item N.
Flexible	Absolute Bridge	45°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Microdot	MMP455-60FX-1-3M	U8616339	9102894	U8800041
Flexible	Absolute Bridge	Straight	5 in. (127 mm)	0	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP-50FX	U8616157	9102894	U8800041
Flexible	Absolute Bridge	Straight	6 in. (152.4 mm)	0	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP-60FX	U8620017	9102894	U8800041
Flexible	Absolute Bridge	Straight	6 in. (152.4 mm)	0	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Microdot	MMP-60FX-1-3M	U8629986	9102894	U8800041
Flexible	Absolute Bridge	Straight	7 in. (177.8 mm)	0	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP-70FX	U8620465	9102894	U8800041
Flexible	Absolute Bridge	Straight	7 in. (177.8 mm)	0	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Microdot	MMP-70FX-1-3M	U8616162	9102894	U8800041
Flexible	Absolute Bridge	Straight	8 in. (203.2 mm)	0	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP-80FX	U8610812	9102894	U8800041
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP9003-50FX	U8616343	9102894	U8800041
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP9003-60FX	U8616344	9102894	U8800041
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP901-60FX	U8616349	9102894	U8800041
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.1 in. (2.54 mm)	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Microdot	MMP901-60FX-1-3M	U8616350	9102894	U8800041
Flexible	Absolute Bridge	90°	10 in. (254 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP902-100FX	U8250081	9102894	U8800041
Flexible	Absolute Bridge	90°	4 in. (101.6 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP902-40FX	U8620022	9102894	U8800041
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP902-50FX	U8620415	9102894	U8800041
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP902-60FX	U8620029	9102894	U8800041
Flexible	Absolute Bridge	90°	7 in. (177.8 mm)	0.2 in. (5.08 mm)	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Microdot	MMP902-70FX-1-3M	U8620377	9102894	U8800041
Flexible	Absolute Bridge	90°	8 in. (203.2 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP902-80FX	U8610485	9102894	U8800041
Flexible	Absolute Bridge	90°	9 in. (228.6 mm)	0.2 in. (5.08 mm)	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Microdot	MMP902-90FX-1-3M	U8616351	9102894	U8800041
Flexible	Absolute Bridge	90°	4 in. (101.6 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP903-40FX	U8616352	9102894	U8800041
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP903-50FX	U8620032	9102894	U8800041
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.3 in. (7.62 mm)	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Microdot	MMP903-60FX-1-3M	U8629985	9102894	U8800041
Flexible	Absolute Bridge	90°	12 in. (304.8 mm)	0.4 in. (10.16 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP904-120FX	U8616354	9102894	U8800041
Flexible	Absolute Bridge	90°	10 in. (254 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP905-100FX	U8620033	9102894	U8800041
Flexible	Absolute Bridge	90°	4 in. (101.6 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP905-40FX	U8620035	9102894	U8800041
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP905-50FX	U8629052	9102894	U8800041
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP905-60FX	U8620041	9102894	U8800041
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Microdot	MMP905-60FX-1-3M	U8616362	9102894	U8800041
Flexible	Absolute Bridge	90°	7 in. (177.8 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP905-70FX	U8616443	9102894	U8800041
Flexible	Absolute Bridge	90°	7 in. (177.8 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Microdot	MMP905-70FX-1-3M	U8620042	9102894	U8800041
Flexible	Absolute Bridge	90°	9 in. (228.6 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Microdot	MMP905-90FX-1-3M	U8616126	9102894	U8800041
Flexible	Absolute Bridge	Straight	9 in. (228.6 mm)	0	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Microdot	MMP-90FX-1-3M	U8620351	9102894	U8800041
Flexible	Absolute Bridge	Straight	10 in. (254 mm)	0	1 MHz to 6 MHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF-100FX-1-6M	U8629902	9122244	U8800091
Flexible	Absolute Bridge	Straight	10 in. (254 mm)	0	200 kHz to 1 MHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF-100FX-200K-1M	U8629906	9122244	U8800091
Flexible	Absolute Bridge	Straight	12 in. (304.8 mm)	0	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF-120FX	U8616174	9122244	U8800091

Type	Coil	Tip Angle	Length	Drop	Frequency	Shaft Size	Connector	Part ID	Item N.	Cable ID	Item N.
Flexible	Absolute Bridge	Straight	12 in. (304.8 mm)	0	1 MHz to 6 MHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF-120FX-1-6M	U8629901	9122244	U8800091
Flexible	Absolute Bridge	30°	5 in. (127 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF305-50FX	U8629755	9122244	U8800091
Flexible	Absolute Bridge	30°	5 in. (127 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF305-50FX-200K-1M	U8629756	9122244	U8800091
Flexible	Absolute Bridge	30°	7 in. (177.8 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF305-70FX	U8629753	9122244	U8800091
Flexible	Absolute Bridge	30°	7 in. (177.8 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF305-70FX-200K-1M	U8629754	9122244	U8800091
Flexible	Absolute Bridge	45°	12 in. (304.8 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF455-120FX	U8616425	9122244	U8800091
Flexible	Absolute Bridge	45°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF455-60FX-200K-1M	U8629769	9122244	U8800091
Flexible	Absolute Bridge	Straight	5 in. (127 mm)	0	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF-50FX	U8610394	9122244	U8800091
Flexible	Absolute Bridge	Straight	5 in. (127 mm)	0	1 MHz to 6 MHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF-50FX-1-6M	U8623302	9122244	U8800091
Flexible	Absolute Bridge	90°	10 in. (254 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF9003-100FX	U8610738	9122244	U8800091
Flexible	Absolute Bridge	90°	10 in. (254 mm)	0.03 in. (0.76 mm)	200 kHz to 1 MHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF9003-100FX-200K-1M	U8610740	9122244	U8800091
Flexible	Absolute Bridge	90°	12 in. (304.8 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF9003-120FX	U8610739	9122244	U8800091
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF9003-60FX	U8629870	9122244	U8800091
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF901-60FX	U8616415	9122244	U8800091
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.1 in. (2.54 mm)	1 MHz to 6 MHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF901-60FX-1-6M	U8623024	9122244	U8800091
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF902-50FX	U8620296	9122244	U8800091
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.2 in. (5.08 mm)	1 MHz to 6 MHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF902-50FX-1-6M	U8623303	9122244	U8800091
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF902-50FX-200K-1M	U8620340	9122244	U8800091
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF902-60FX	U8623027	9122244	U8800091
Flexible	Absolute Bridge	90°	9 in. (228.6 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF902-90FX	U8610491	9122244	U8800091
Flexible	Absolute Bridge	90°	10 in. (254 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF905-100FX-200K-1M	U8629785	9122244	U8800091
Flexible	Absolute Bridge	90°	12 in. (304.8 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF905-120FX	U8616421	9122244	U8800091
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF905-60FX	U8610913	9122244	U8800091
Flexible	Absolute Bridge	90°	9 in. (228.6 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF905-90FX	U8610625	9122244	U8800091
Flexible	Absolute Bridge	Straight	10 in. (254 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP-100FX	U8620049	9102894	U8800041
Flexible	Absolute Bridge	Straight	10 in. (254 mm)	0	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP-100FX-1-3M	U8610779	9102894	U8800041
Flexible	Absolute Bridge	Straight	10 in. (254 mm)	0	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP-100FX-200K-1M	U8616169	9102894	U8800041
Flexible	Absolute Bridge	Straight	11 in. (279.4 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP-110FX	U8616171	9102894	U8800041
Flexible	Absolute Bridge	Straight	12 in. (304.8 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP-120FX	U8620050	9102894	U8800041
Flexible	Absolute Bridge	30°	4 in. (101.6 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP302-40FX	U8629880	9102894	U8800041
Flexible	Absolute Bridge	30°	7 in. (177.8 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP303-70FX	U8250080	9102894	U8800041
Flexible	Absolute Bridge	30°	3 in. (76.2 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP305-30FX	U8610627	9102894	U8800041
Flexible	Absolute Bridge	30°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP305-60FX	U8620063	9102894	U8800041
Flexible	Absolute Bridge	30°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP305-60FX-1-3M	U8616292	9102894	U8800041

Type	Coil	Tip Angle	Length	Drop	Frequency	Shaft Size	Connector	Part ID	Item N.	Cable ID	Item N.
Flexible	Absolute Bridge	30°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP305-60FX-200K-1M	U8620417	9102894	U8800041
Flexible	Absolute Bridge	Straight	3 in. (76.2 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP-30FX	U8620065	9102894	U8800041
Flexible	Absolute Bridge	Straight	3 in. (76.2 mm)	0	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP-30FX-200K-1M	U8616370	9102894	U8800041
Flexible	Absolute Bridge	Straight	4 in. (101.6 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP-40FX	U8620070	9102894	U8800041
Flexible	Absolute Bridge	Straight	4 in. (101.6 mm)	0	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP-40FX-1-3M	U8610891	9102894	U8800041
Flexible	Absolute Bridge	Straight	4 in. (101.6 mm)	0	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP-40FX-200K-1M	U8610892	9102894	U8800041
Flexible	Absolute Bridge	45°	4 in. (101.6 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP452-40FX	U8629879	9102894	U8800041
Flexible	Absolute Bridge	45°	10 in. (254 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP453-100FX	U8610494	9102894	U8800041
Flexible	Absolute Bridge	45°	12 in. (304.8 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP453-120FX	U8616123	9102894	U8800041
Flexible	Absolute Bridge	45°	3 in. (76.2 mm)	0.3 in. (7.62 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP453-30FX-1-3M	U8610992	9102894	U8800041
Flexible	Absolute Bridge	45°	3 in. (76.2 mm)	0.3 in. (7.62 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Microdot	MP453-30FX-6M	U8610993	9102894	U8800041
Flexible	Absolute Bridge	45°	5 in. (127 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP453-50FX	U8616305	9102894	U8800041
Flexible	Absolute Bridge	45°	10 in. (254 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP455-100FX	U8620083	9102894	U8800041
Flexible	Absolute Bridge	45°	12 in. (304.8 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP455-120FX	U8620084	9102894	U8800041
Flexible	Absolute Bridge	45°	12 in. (304.8 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP455-120FX-200K-1M	U8610497	9102894	U8800041
Flexible	Absolute Bridge	45°	3 in. (76.2 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP455-30FX	U8616297	9102894	U8800041
Flexible	Absolute Bridge	45°	4 in. (101.6 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP455-40FX	U8616301	9102894	U8800041
Flexible	Absolute Bridge	45°	4 in. (101.6 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP455-40FX-1-3M	U8616302	9102894	U8800041
Flexible	Absolute Bridge	45°	5 in. (127 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP455-50FX	U8620096	9102894	U8800041
Flexible	Absolute Bridge	45°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP455-60FX	U8620100	9102894	U8800041
Flexible	Absolute Bridge	45°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP455-60FX-1-3M	U8616312	9102894	U8800041
Flexible	Absolute Bridge	45°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP455-60FX-200K-1M	U8616313	9102894	U8800041
Flexible	Absolute Bridge	45°	8 in. (203.2 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP455-80FX	U8620102	9102894	U8800041
Flexible	Absolute Bridge	Straight	5 in. (127 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP-50FX	U8620109	9102894	U8800041
Flexible	Absolute Bridge	Straight	5 in. (127 mm)	0	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP-50FX-1-3M	U8620110	9102894	U8800041
Flexible	Absolute Bridge	Straight	5 in. (127 mm)	0	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP-50FX-200K-1M	U8610893	9102894	U8800041
Flexible	Absolute Bridge	Straight	5 in. (127 mm)	0	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Microdot	MP-50FX-6M	U8620111	9102894	U8800041
Flexible	Absolute Bridge	Straight	6 in. (152.4 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP-60FX	U8620114	9102894	U8800041
Flexible	Absolute Bridge	Straight	6 in. (152.4 mm)	0	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP-60FX-1-3M	U8620115	9102894	U8800041
Flexible	Absolute Bridge	Straight	6 in. (152.4 mm)	0	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP-60FX-200K-1M	U8250112	9102894	U8800041
Flexible	Absolute Bridge	Straight	7 in. (177.8 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP-70FX	U8620116	9102894	U8800041
Flexible	Absolute Bridge	Straight	7 in. (177.8 mm)	0	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP-70FX-200K-1M	U8610819	9102894	U8800041
Flexible	Absolute Bridge	Straight	8 in. (203.2 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP-80FX	U8620118	9102894	U8800041
Flexible	Absolute Bridge	90°	10 in. (254 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP9003-100FX	U8620387	9102894	U8800041
Flexible	Absolute Bridge	90°	12 in. (304.8 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP9003-120FX	U8629795	9102894	U8800041

Type	Coil	Tip Angle	Length	Drop	Frequency	Shaft Size	Connector	Part ID	Item N.	Cable ID	Item N.
Flexible	Absolute Bridge	90°	3 in. (76.2 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP9003-30FX	U8616178	9102894	U8800041
Flexible	Absolute Bridge	90°	3 in. (76.2 mm)	0.03 in. (0.76 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP9003-30FX-200K-1M	U8616179	9102894	U8800041
Flexible	Absolute Bridge	90°	4 in. (101.6 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP9003-40FX	U8620121	9102894	U8800041
Flexible	Absolute Bridge	90°	4 in. (101.6 mm)	0.03 in. (0.76 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP9003-40FX-1-3M	U8616196	9102894	U8800041
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP9003-50FX	U8620124	9102894	U8800041
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP9003-60FX	U8620125	9102894	U8800041
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.03 in. (0.76 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP9003-60FX-200K-1M	U8616226	9102894	U8800041
Flexible	Absolute Bridge	90°	7 in. (177.8 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP9003-70FX	U8620333	9102894	U8800041
Flexible	Absolute Bridge	90°	8 in. (203.2 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP9003-80FX	U8620360	9102894	U8800041
Flexible	Absolute Bridge	90°	8 in. (203.2 mm)	0.03 in. (0.76 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP9003-80FX-1-3M	U8616247	9102894	U8800041
Flexible	Absolute Bridge	90°	9 in. (228.6 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP9003-90FX	U8616258	9102894	U8800041
Flexible	Absolute Bridge	90°	10 in. (254 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP901-100FX	U8620141	9102894	U8800041
Flexible	Absolute Bridge	90°	10 in. (254 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP901-10FX	U8616266	9102894	U8800041
Flexible	Absolute Bridge	90°	4 in. (101.6 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP901-40FX	U8620144	9102894	U8800041
Flexible	Absolute Bridge	90°	4 in. (101.6 mm)	0.1 in. (2.54 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP901-40FX-200K-1M	U8629847	9102894	U8800041
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP901-50FX	U8620257	9102894	U8800041
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP901-60FX	U8620151	9102894	U8800041
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.1 in. (2.54 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP901-60FX-1-3M	U8616227	9102894	U8800041
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.1 in. (2.54 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP901-60FX-200K-1M	U8616228	9102894	U8800041
Flexible	Absolute Bridge	90°	8 in. (203.2 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP901-80FX	U8620153	9102894	U8800041
Flexible	Absolute Bridge	90°	10 in. (254 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP902-100FX	U8620154	9102894	U8800041
Flexible	Absolute Bridge	90°	10 in. (254 mm)	0.2 in. (5.08 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP902-100FX-1-3M	U8616269	9102894	U8800041
Flexible	Absolute Bridge	90°	10 in. (254 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP902-100FX-200K-1M	U8616270	9102894	U8800041
Flexible	Absolute Bridge	90°	10 in. (254 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP902-100FX-200K-1M	U8616270	9102894	U8800041
Flexible	Absolute Bridge	90°	11 in. (279.4 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP902-110FX	U8610506	9102894	U8800041
Flexible	Absolute Bridge	90°	12 in. (304.8 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP902-120FX	U8616281	9102894	U8800041
Flexible	Absolute Bridge	90°	12 in. (304.8 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP902-120FX-200K-1M	U8610507	9102894	U8800041
Flexible	Absolute Bridge	90°	3 in. (76.2 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP902-30FX	U8620307	9102894	U8800041
Flexible	Absolute Bridge	90°	4 in. (101.6 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP902-40FX	U8620160	9102894	U8800041
Flexible	Absolute Bridge	90°	4 in. (101.6 mm)	0.2 in. (5.08 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP902-40FX-1-3M	U8616199	9102894	U8800041
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP902-50FX	U8620166	9102894	U8800041
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.2 in. (5.08 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP902-50FX-1-3M	U8616212	9102894	U8800041
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP902-60FX	U8620170	9102894	U8800041
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.2 in. (5.08 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP902-60FX-1-3M	U8620171	9102894	U8800041
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP902-60FX-200K-1M	U8620466	9102894	U8800041

Type	Coil	Tip Angle	Length	Drop	Frequency	Shaft Size	Connector	Part ID	Item N.	Cable ID	Item N.
Flexible	Absolute Bridge	90°	7 in. (177.8 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP902-70FX	U8620174	9102894	U8800041
Flexible	Absolute Bridge	90°	7 in. (177.8 mm)	0.2 in. (5.08 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP902-70FX-1-3M	U8629689	9102894	U8800041
Flexible	Absolute Bridge	90°	7 in. (177.8 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP902-70FX-200K-1M	U8629690	9102894	U8800041
Flexible	Absolute Bridge	90°	8 in. (203.2 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP902-80FX	U8620176	9102894	U8800041
Flexible	Absolute Bridge	90°	8 in. (203.2 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP902-80FX-200K-1M	U8629761	9102894	U8800041
Flexible	Absolute Bridge	90°	9 in. (228.6 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP902-90FX	U8616259	9102894	U8800041
Flexible	Absolute Bridge	90°	12 in. (304.8 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP903-120FX	U8616282	9102894	U8800041
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP903-50FX	U8620180	9102894	U8800041
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP903-60FX	U8629794	9102894	U8800041
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.3 in. (7.62 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP903-60FX-200K-1M	U8620182	9102894	U8800041
Flexible	Absolute Bridge	90°	8 in. (203.2 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP903-80FX	U8616251	9102894	U8800041
Flexible	Absolute Bridge	90°	12 in. (304.8 mm)	0.4 in. (10.16 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP904-120FX	U8616283	9102894	U8800041
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.4 in. (10.16 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP904-60FX	U8616233	9102894	U8800041
Flexible	Absolute Bridge	90°	7 in. (177.8 mm)	0.4 in. (10.16 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP904-70FX	U8610838	9102894	U8800041
Flexible	Absolute Bridge	90°	7 in. (177.8 mm)	0.4 in. (10.16 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP904-70FX-1-3M	U8610840	9102894	U8800041
Flexible	Absolute Bridge	90°	7 in. (177.8 mm)	0.4 in. (10.16 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP904-70FX-200K-1M	U8610839	9102894	U8800041
Flexible	Absolute Bridge	90°	8 in. (203.2 mm)	0.4 in. (10.16 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP904-80FX	U8616252	9102894	U8800041
Flexible	Absolute Bridge	90°	10 in. (254 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP905-100FX	U8620183	9102894	U8800041
Flexible	Absolute Bridge	90°	11 in. (279.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP905-110FX	U8610513	9102894	U8800041
Flexible	Absolute Bridge	90°	12 in. (304.8 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP905-120FX	U8620185	9102894	U8800041
Flexible	Absolute Bridge	90°	3 in. (76.2 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP905-30FX	U8620187	9102894	U8800041
Flexible	Absolute Bridge	90°	3 in. (76.2 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP905-30FX-1-3M	U8616187	9102894	U8800041
Flexible	Absolute Bridge	90°	4 in. (101.6 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP905-40FX	U8620190	9102894	U8800041
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP905-50FX	U8620199	9102894	U8800041
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP905-50FX-1-3M	U8610517	9102894	U8800041
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP905-50FX-200K-1M	U8620429	9102894	U8800041
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP905-60FX	U8620204	9102894	U8800041
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP905-60FX-1-3M	U8620205	9102894	U8800041
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP905-60FX-200K-1M	U8616235	9102894	U8800041
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Microdot	MP905-60FX-6M	U8620206	9102894	U8800041
Flexible	Absolute Bridge	90°	7 in. (177.8 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP905-70FX	U8620208	9102894	U8800041
Flexible	Absolute Bridge	90°	7 in. (177.8 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP905-70FX-200K-1M	U8610816	9102894	U8800041
Flexible	Absolute Bridge	90°	8 in. (203.2 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP905-80FX	U8620211	9102894	U8800041
Flexible	Absolute Bridge	90°	8 in. (203.2 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP905-80FX-1-3M	U8620371	9102894	U8800041
Flexible	Absolute Bridge	90°	8 in. (203.2 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP905-80FX-200K-1M	U8616253	9102894	U8800041

Type	Coil	Tip Angle	Length	Drop	Frequency	Shaft Size	Connector	Part ID	Item N.	Cable ID	Item N.
Flexible	Absolute Bridge	90°	9 in. (228.6 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP905-90FX	U8616260	9102894	U8800041
Flexible	Absolute Bridge	Straight	9 in. (228.6 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP-90FX	U8616167	9102894	U8800041
Flexible	Absolute Bridge	Straight	9 in. (228.6 mm)	0	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP-90FX-1-3M	U8620354	9102894	U8800041
Flexible	Absolute Bridge	30°	6 in. (152.4 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF303-60FX	U8610947	9122244	U8800091
Flexible	Absolute Bridge	30°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF305-60FX	U8629281	9122244	U8800091
Flexible	Absolute Bridge	Straight	3 in. (76.2 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF-30FX	U8610690	9122244	U8800091
Flexible	Absolute Bridge	Straight	4 in. (101.6 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF-40FX	U8623245	9122244	U8800091
Flexible	Absolute Bridge	Straight	4 in. (101.6 mm)	0	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF-40FX-1-6M	U8629752	9122244	U8800091
Flexible	Absolute Bridge	Straight	4 in. (101.6 mm)	0	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF-40FX-200K-1M	U8610685	9122244	U8800091
Flexible	Absolute Bridge	45°	6 in. (152.4 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF452-60FX-200K-1M	U8610848	9122244	U8800091
Flexible	Absolute Bridge	45°	8 in. (203.2 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF452-80FX-200K-1M	U8623044	9122244	U8800091
Flexible	Absolute Bridge	45°	6 in. (152.4 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF453-60FX	U8610800	9122244	U8800091
Flexible	Absolute Bridge	45°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF455-60FX	U8623316	9122244	U8800091
Flexible	Absolute Bridge	45°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF455-60FX-1-6M	U8610392	9122244	U8800091
Flexible	Absolute Bridge	45°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF455-60FX-200K-1M	U8623254	9122244	U8800091
Flexible	Absolute Bridge	45°	7 in. (177.8 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF455-70FX	U8616314	9122244	U8800091
Flexible	Absolute Bridge	45°	9 in. (228.6 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF455-90FX	U8616319	9122244	U8800091
Flexible	Absolute Bridge	Straight	5 in. (127 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF-50FX	U8610395	9122244	U8800091
Flexible	Absolute Bridge	Straight	5 in. (127 mm)	0	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF-50FX-200K-1M	U8623256	9122244	U8800091
Flexible	Absolute Bridge	Straight	5 in. (127 mm)	0	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF-50FX-1-6M	U8623304	9122244	U8800091
Flexible	Absolute Bridge	Straight	6 in. (152.4 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF-60FX	U8623061	9122244	U8800091
Flexible	Absolute Bridge	Straight	6 in. (152.4 mm)	0	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF-60FX-1-6M	U8616159	9122244	U8800091
Flexible	Absolute Bridge	Straight	6 in. (152.4 mm)	0	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF-60FX-200K-1M	U8623257	9122244	U8800091
Flexible	Absolute Bridge	Straight	7 in. (177.8 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF-70FX	U8614294	9122244	U8800091
Flexible	Absolute Bridge	Straight	8 in. (203.2 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF-80FX	U8623063	9122244	U8800091
Flexible	Absolute Bridge	Straight	9 in. (228.6 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF-90FX	U8614293	9122244	U8800091
Flexible	Absolute Bridge	90°	10 in. (254 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF9003-100FX	U8623347	9122244	U8800091
Flexible	Absolute Bridge	90°	12 in. (304.8 mm)	0.03 in. (0.76 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF9003-120FX-200K-1M	U8610741	9122244	U8800091
Flexible	Absolute Bridge	Straight	5 in. (127 mm)	0	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF-50FX-1-6M	U8623304	9122244	U8800091
Flexible	Absolute Bridge	Straight	6 in. (152.4 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF-60FX	U8623061	9122244	U8800091
Flexible	Absolute Bridge	Straight	6 in. (152.4 mm)	0	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF-60FX-1-6M	U8616159	9122244	U8800091
Flexible	Absolute Bridge	Straight	6 in. (152.4 mm)	0	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF-60FX-200K-1M	U8623257	9122244	U8800091
Flexible	Absolute Bridge	Straight	7 in. (177.8 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF-70FX	U8614294	9122244	U8800091
Flexible	Absolute Bridge	Straight	8 in. (203.2 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF-80FX	U8623063	9122244	U8800091
Flexible	Absolute Bridge	Straight	9 in. (228.6 mm)	0	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF-90FX	U8614293	9122244	U8800091

Type	Coil	Tip Angle	Length	Drop	Frequency	Shaft Size	Connector	Part ID	Item N.	Cable ID	Item N.
Flexible	Absolute Bridge	90°	10 in. (254 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF9003-100FX	U8623347	9122244	U8800091
Flexible	Absolute Bridge	90°	12 in. (304.8 mm)	0.03 in. (0.76 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF9003-120FX-200K-1M	U8610741	9122244	U8800091
Flexible	Absolute Bridge	90°	3 in. (76.2 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF9003-30FX	U8616189	9122244	U8800091
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF9003-50FX	U8650091	9122244	U8800091
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.03 in. (0.76 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF9003-60-FX-1-6M	U8610811	9122244	U8800091
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF9003-60FX	U8623071	9122244	U8800091
Flexible	Absolute Bridge	90°	7 in. (177.8 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF9003-70FX	U8610539	9122244	U8800091
Flexible	Absolute Bridge	90°	7 in. (177.8 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF9003-70FX	U8610539	9122244	U8800091
Flexible	Absolute Bridge	90°	8 in. (203.2 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF9003-80FX	U8614224	9122244	U8800091
Flexible	Absolute Bridge	90°	9 in. (228.6 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF9003-90FX	U8616261	9122244	U8800091
Flexible	Absolute Bridge	90°	10 in. (254 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF901-100FX	U8616271	9122244	U8800091
Flexible	Absolute Bridge	90°	11 in. (279.4 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF901-110FX	U8616278	9122244	U8800091
Flexible	Absolute Bridge	90°	4 in. (101.6 mm)	0.1 in. (2.54 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF901-40FX-200K-1M	U8610686	9122244	U8800091
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.1 in. (2.54 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF901-50FX-1-6M	U8623243	9122244	U8800091
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF901-60FX	U8610971	9122244	U8800091
Flexible	Absolute Bridge	90°	10 in. (254 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-100FX	U8610850	9122244	U8800091
Flexible	Absolute Bridge	90°	10 in. (254 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-100FX-200K-1M	U8616273	9122244	U8800091
Flexible	Absolute Bridge	90°	12 in. (304.8 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-120FX	U8620294	9122244	U8800091
Flexible	Absolute Bridge	90°	3 in. (76.2 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-30FX	U8623077	9122244	U8800091
Flexible	Absolute Bridge	90°	4 in. (101.6 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-40FX	U8623246	9122244	U8800091
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-50FX	U8620293	9122244	U8800091
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.2 in. (5.08 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-50FX-1-6M	U8620297	9122244	U8800091
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-50FX-200K-1M	U8616220	9122244	U8800091
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-60FX	U8623088	9122244	U8800091
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.2 in. (5.08 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-60FX-1-6M	U8623089	9122244	U8800091
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-60FX-200K-1M	U8610847	9122244	U8800091
Flexible	Absolute Bridge	90°	7 in. (177.8 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-70FX	U8610963	9122244	U8800091
Flexible	Absolute Bridge	90°	7 in. (177.8 mm)	0.2 in. (5.08 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-70FX-1-6M	U8616243	9122244	U8800091
Flexible	Absolute Bridge	90°	8 in. (203.2 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-80FX	U8623091	9122244	U8800091
Flexible	Absolute Bridge	90°	8 in. (203.2 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-80FX-200K-1M	U8623092	9122244	U8800091
Flexible	Absolute Bridge	90°	9 in. (228.6 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-90FX	U8610639	9122244	U8800091
Flexible	Absolute Bridge	90°	10 in. (254 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF903-100FX	U8629825	9122244	U8800091
Flexible	Absolute Bridge	90°	10 in. (254 mm)	0.3 in. (7.62 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF903-100FX-200K-1M	U8629828	9122244	U8800091
Flexible	Absolute Bridge	90°	12 in. (304.8 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF903-120FX	U8629826	9122244	U8800091
Flexible	Absolute Bridge	90°	12 in. (304.8 mm)	0.3 in. (7.62 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF903-120FX-200K-1M	U8629829	9122244	U8800091

Type	Coil	Tip Angle	Length	Drop	Frequency	Shaft Size	Connector	Part ID	Item N.	Cable ID	Item N.
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF903-50FX	U8620394	9122244	U8800091
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF903-60FX	U8629824	9122244	U8800091
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.3 in. (7.62 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF903-60FX-1-6M	U8616238	9122244	U8800091
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.3 in. (7.62 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF903-60FX-200K-1M	U8623260	9122244	U8800091
Flexible	Absolute Bridge	90°	8 in. (203.2 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF903-80FX	U8623099	9122244	U8800091
Flexible	Absolute Bridge	90°	8 in. (203.2 mm)	0.3 in. (7.62 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF903-80FX-200K-1M	U8629827	9122244	U8800091
Flexible	Absolute Bridge	90°	9 in. (228.6 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF903-90FX	U8614268	9122244	U8800091
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.4 in. (10.16 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF904-50FX-200K-1M	U8616222	9122244	U8800091
Flexible	Absolute Bridge	90°	7 in. (177.8 mm)	0.4 in. (10.16 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF904-70FX	U8616244	9122244	U8800091
Flexible	Absolute Bridge	90°	10 in. (254 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-100FX	U8623101	9122244	U8800091
Flexible	Absolute Bridge	90°	12 in. (304.8 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-120FX	U8620295	9122244	U8800091
Flexible	Absolute Bridge	90°	12 in. (304.8 mm)	0.5 in. (12.7 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-120FX-1-6M	U8616286	9122244	U8800091
Flexible	Absolute Bridge	90°	3 in. (76.2 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-30FX	U8629806	9122244	U8800091
Flexible	Absolute Bridge	90°	4 in. (101.6 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-40FX	U8610745	9122244	U8800091
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-50FX	U8610393	9122244	U8800091
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-50FX-200K-1M	U8623262	9122244	U8800091
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-60FX	U8623113	9122244	U8800091
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-60FX-1-6M	U8610973	9122244	U8800091
Flexible	Absolute Bridge	90°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-60FX-200K-1M	U8623263	9122244	U8800091
Flexible	Absolute Bridge	90°	7 in. (177.8 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-70BFX	U8623321	9122244	U8800091
Flexible	Absolute Bridge	90°	8 in. (203.2 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-80FX	U8610984	9122244	U8800091
Flexible	Absolute Bridge	90°	8 in. (203.2 mm)	0.5 in. (12.7 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-80FX-1-6M	U8616255	9122244	U8800091
Flexible	Absolute Bridge	90°	9 in. (228.6 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-90FX	U8610547	9122244	U8800091
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.05 in. (1.27 mm)	Microdot	MXP905-50FX	U8616369	9102894	U8800041
Flexible	Absolute Bridge	45°	6 in. (152.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.05 in. (1.27 mm)	Triax Fischer	MXTF455-60FX	U8616433	9122244	U8800091
Flexible	Absolute Bridge	Straight	10 in. (254 mm)	0	50 kHz to 500 kHz	0.094 in. (2.39 mm)	Microdot	MYP-100FX	U8610749	9102894	U8800041
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP9003-50FX	U8620124	9102894	U8800041
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP905-50FX-1-3M	U8610517	9102894	U8800041
Flexible	Absolute Bridge	90°	5 in. (127 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP9003-50FX	U8620124	9102894	U8800041