

Type	Coil	Length	Drop	Frequency	Shaft Size	Connector	Part ID	Item N.	Cable ID	Item N.
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	9213013.01	U8623148	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.03 in. (0.76 mm)	50 kHz to 100 kHz	0.125 in. (3.17 mm)	Triax Fischer	9216200.00	U8623181	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.03 in. (0.76 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	9216201.01	U8623182	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	50 kHz to 100 kHz	0.125 in. (3.17 mm)	Triax Fischer	9216220.00	U8623189	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9222164.01	U8616093	9122083	U8800073
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.03 in. (0.76 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9222204.00	U8616096	9122083	U8800073
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	9222075.30	U8620241	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.03 in. (0.76 mm)	50 kHz to 100 kHz	0.125 in. (3.17 mm)	Powerlink™	9222473.00	U8616106	9122083	U8800073
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	50 kHz to 100 kHz	0.125 in. (3.17 mm)	Powerlink™	9222476.00	U8616108	9122083	U8800073
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9230142.00	U8626058	9122083	U8800073
Right Angle	Absolute Bridge	8 in. (203.2 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9230160.00	U8626059	9122083	U8800073
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9230174.00	U8616122	9122083	U8800073
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.2 in. (5.08 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	9230483.00	U8623298	9122244	U8800091
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	9231018.00	U8250102	9122244	U8800091
Right Angle	Absolute Bridge	5 in. (127 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	9231350.00	U8629211	9122244	U8800091
Right Angle	Absolute Bridge	9 in. (228.6 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	9231427.00	U8623227	9122244	U8800091
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.03 in. (0.76 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9231506.00	U8626146	9122083	U8800073
Right Angle	Absolute Bridge	12 in. (304.8 mm)	0.03 in. (0.76 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9231614	U8629657	9122083	U8800073
Right Angle	Absolute Bridge	10 in. (254 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9231730	U8610439	9122083	U8800073
Right Angle	Absolute Bridge	8 in. (203.2 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	9231799	U8629097	9122244	U8800091
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.2 in. (5.08 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9231813.00	U8610678	9122083	U8800073
Right Angle	Absolute Bridge	5 in. (127 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	9231974	U8629546	9122244	U8800091
Right Angle	Absolute Bridge	9 in. (228.6 mm)	0.5 in. (12.7 mm)	100 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9232196	U8629788	9122083	U8800073
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9403360.00	U8629530	9122083	U8800073
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9403372	U8614296	9122083	U8800073
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Powerlink™	9403383	U8629061	9122083	U8800073
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.5 in. (12.7 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Powerlink™	9403398	U8626125	9122083	U8800073
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Powerlink™	9403399	U8626126	9122083	U8800073
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9403405	U8629529	9122083	U8800073
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.03 in. (0.76 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Powerlink™	9403406	U8620399	9122083	U8800073
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.03 in. (0.76 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Powerlink™	9403407	U8620400	9122083	U8800073
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Powerlink™	9403408	U8629531	9122083	U8800073
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.2 in. (5.08 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Powerlink™	9403409	U8629532	9122083	U8800073
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9403410	U8629533	9122083	U8800073

Type	Coil	Length	Drop	Frequency	Shaft Size	Connector	Part ID	Item N.	Cable ID	Item N.
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Powerlink™	9403411	U8629534	9122083	U8800073
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	9403412	U8629535	9122244	U8800091
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Powerlink™	9403413	U8629483	9122083	U8800073
Right Angle	Absolute Bridge	5 in. (127 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Powerlink™	9403426	U8629609	9122083	U8800073
Right Angle	Absolute Bridge	5 in. (127 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Powerlink™	9403445	U8629698	9122083	U8800073
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.2 in. (5.08 mm)	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Powerlink™	9403446	U8629707	9122083	U8800073
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.3 in. (7.62 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Powerlink™	9403447	U8610918	9122083	U8800073
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.062 in. (1.57 mm)	Powerlink™	9403449	U8610932	9122083	U8800073
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Powerlink™	9403455	U8610968	9122083	U8800073
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9403461	U8629731	9122083	U8800073
Right Angle	Absolute Bridge	12 in. (304.8 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9403463	U8629733	9122083	U8800073
Right Angle	Absolute Bridge	12 in. (304.8 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9403464	U8629778	9122083	U8800073
Right Angle	Absolute Bridge	11 in. (279.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9403470	U8629742	9122083	U8800073
Right Angle	Absolute Bridge	5 in. (127 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9403473	U8629777	9122083	U8800073
Right Angle	Absolute Bridge	7 in. (177.8 mm)	0.4 in. (10.16 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9403475	U8629779	9122083	U8800073
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.062 in. (1.57 mm)	Triax Fischer	9403481	U8629831	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.062 in. (1.57 mm)	Triax Fischer	9403482	U8629830	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.4 in. (10.16 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Powerlink™	9403483	U8629832	9122083	U8800073
Right Angle	Absolute Bridge	11 in. (279.4 mm)	0.4 in. (10.16 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Powerlink™	9403484	U8629833	9122083	U8800073
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.4 in. (10.16 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Powerlink™	9403486	U8629835	9122083	U8800073
Right Angle	Absolute Bridge	11 in. (279.4 mm)	0.4 in. (10.16 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9403487	U8629836	9122083	U8800073
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.4 in. (10.16 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Powerlink™	9403488	U8629843	9122083	U8800073
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.4 in. (10.16 mm)	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Powerlink™	9403507	U8629977	9122083	U8800073
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.2 in. (5.08 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Powerlink™	9403508	U8629982	9122083	U8800073
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.4 in. (10.16 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Powerlink™	9403509	U8616146	9122083	U8800073
Right Angle	Absolute Bridge	10 in. (254 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP9003-100	U8616342	9102894	U8800041
Right Angle	Absolute Bridge	10 in. (254 mm)	0.03 in. (0.76 mm)	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Microdot	MMP9003-100-1-3M	U8620018	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP9003-40	U8610483	9102894	U8800041
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.1 in. (2.54 mm)	200 kHz to 1 MHz	0.072 in. (1.83 mm)	Microdot	MMP901-30B-200K-1M	U8616345	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP901-40	U8616346	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.1 in. (2.54 mm)	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Microdot	MMP901-40-1-3M	U8616347	9102894	U8800041
Right Angle	Absolute Bridge	5 in. (127 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP901-50	U8610928	9102894	U8800041
Right Angle	Absolute Bridge	5 in. (127 mm)	0.1 in. (2.54 mm)	200 kHz to 1 MHz	0.072 in. (1.83 mm)	Microdot	MMP901-50-200K-1M	U8610929	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP901-60	U8616348	9102894	U8800041

Type	Coil	Length	Drop	Frequency	Shaft Size	Connector	Part ID	Item N.	Cable ID	Item N.
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.1 in. (2.54 mm)	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Microdot	MMP901-60-1-3M	U8629984	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.1 in. (2.54 mm)	200 kHz to 1 MHz	0.072 in. (1.83 mm)	Microdot	MMP-901-60-200K-1M	U8610484	9102894	U8800041
Right Angle	Absolute Bridge	10 in. (254 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP902-100	U8620289	9102894	U8800041
Right Angle	Absolute Bridge	12 in. (304.8 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP902-120	U8629280	9102894	U8800041
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP902-30	U8620020	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP902-40	U8620021	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.2 in. (5.08 mm)	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Microdot	MMP902-40-1-3M	U8620278	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.072 in. (1.83 mm)	Microdot	MMP902-40-200K-1M	U8620277	9102894	U8800041
Right Angle	Absolute Bridge	5 in. (127 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP902-50	U8620025	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP902-60	U8620027	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.2 in. (5.08 mm)	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Microdot	MMP902-60-1-3M	U8620028	9102894	U8800041
Right Angle	Absolute Bridge	7 in. (177.8 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP902-70	U8620288	9102894	U8800041
Right Angle	Absolute Bridge	8 in. (203.2 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP902-80	U8620031	9102894	U8800041
Right Angle	Absolute Bridge	8 in. (203.2 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.072 in. (1.83 mm)	Microdot	MMP902-80-200K-1M	U8629891	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP903-60	U8620385	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.3 in. (7.62 mm)	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Microdot	MMP903-60-1-3M	U8610902	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.4 in. (10.16 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP904-40	U8616355	9102894	U8800041
Right Angle	Absolute Bridge	10 in. (254 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP905-100	U8616356	9102894	U8800041
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP905-30	U8620376	9102894	U8800041
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Microdot	MMP905-30-1-3M	U8250078	9102894	U8800041
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.072 in. (1.83 mm)	Microdot	MMP905-30-200K-1M	U8616357	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP905-40	U8620034	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Microdot	MMP905-40-1-3M	U8629813	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.072 in. (1.83 mm)	Microdot	MMP905-40-200K-1M	U8629814	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Microdot	MMP905-45-1-3M	U8614262	9102894	U8800041
Right Angle	Absolute Bridge	5 in. (127 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP905-50	U8620038	9102894	U8800041
Right Angle	Absolute Bridge	5 in. (127 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Microdot	MMP905-50-1-3M	U8616359	9102894	U8800041
Right Angle	Absolute Bridge	5 in. (127 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.072 in. (1.83 mm)	Microdot	MMP905-50-200K-1M	U8616360	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP905-60	U8620040	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Microdot	MMP905-60-1-3M	U8250077	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.072 in. (1.83 mm)	Microdot	MMP905-60-200K-1M	U8616361	9102894	U8800041

Type	Coil	Length	Drop	Frequency	Shaft Size	Connector	Part ID	Item N.	Cable ID	Item N.
Right Angle	Absolute Bridge	8 in. (203.2 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP905-80	U8616363	9102894	U8800041
Right Angle	Absolute Bridge	8 in. (203.2 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.072 in. (1.83 mm)	Microdot	MMP905-80-1-3M	U8616364	9102894	U8800041
Right Angle	Absolute Bridge	9 in. (228.6 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Microdot	MMP905-90	U8629821	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.03 in. (0.76 mm)	200 kHz to 1 MHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF9003-40-200K-1M	U8610684	9122244	U8800091
Right Angle	Absolute Bridge	10 in. (254 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF902-100	U8620447	9122244	U8800091
Right Angle	Absolute Bridge	12 in. (304.8 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF902-120	U8616416	9122244	U8800091
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF902-30	U8610490	9122244	U8800091
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF902-40	U8623240	9122244	U8800091
Right Angle	Absolute Bridge	5 in. (127 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF902-50	U8623025	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF902-60	U8620381	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF903-60	U8623029	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.3 in. (7.62 mm)	1 MHz to 6 MHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF903-60-1-6M	U8623030	9122244	U8800091
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.4 in. (10.16 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF904-40	U8616420	9122244	U8800091
Right Angle	Absolute Bridge	12 in. (304.8 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF905-120	U8623355	9122244	U8800091
Right Angle	Absolute Bridge	12 in. (304.8 mm)	0.5 in. (12.7 mm)	1 MHz to 6 MHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF905-120-1-6MHZ	U8623357	9122244	U8800091
Right Angle	Absolute Bridge	12 in. (304.8 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF905-120-200K-1M	U8623356	9122244	U8800091
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF905-30	U8623031	9122244	U8800091
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF905-40	U8623242	9122244	U8800091
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.5 in. (12.7 mm)	1 MHz to 6 MHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF905-40-1-6M	U8623322	9122244	U8800091
Right Angle	Absolute Bridge	5 in. (127 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF905-50	U8623032	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF905-60	U8623033	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	1 MHz to 6 MHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF905-60-1-6M	U8610492	9122244	U8800091
Right Angle	Absolute Bridge	8 in. (203.2 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.072 in. (1.83 mm)	Triax Fischer	MMTF905-80	U8616424	9122244	U8800091
Right Angle	Absolute Bridge	10 in. (254 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP9003-100	U8616264	9102894	U8800041
Right Angle	Absolute Bridge	12 in. (304.8 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP9003-120	U8620269	9102894	U8800041
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP9003-30	U8620119	9102894	U8800041
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.03 in. (0.76 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP9003-30-1-3M	U8620120	9102894	U8800041
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.03 in. (0.76 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP9003-30-200K-1M	U8620468	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP9003-40	U8620335	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.03 in. (0.76 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP9003-40-1-3M	U8616193	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.03 in. (0.76 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP9003-40-200K-1M	U8616194	9102894	U8800041
Right Angle	Absolute Bridge	5 in. (127 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP9003-50	U8620252	9102894	U8800041

Type	Coil	Length	Drop	Frequency	Shaft Size	Connector	Part ID	Item N.	Cable ID	Item N.
Right Angle	Absolute Bridge	5 in. (127 mm)	0.03 in. (0.76 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP9003-50-1-3M	U8620123	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP9003-60	U8620348	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.03 in. (0.76 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP9003-60-1-3M	U8620398	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.03 in. (0.76 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP9003-60-200K-1M	U8620397	9102894	U8800041
Right Angle	Absolute Bridge	7 in.(177.8 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP9003-70	U8629054	9102894	U8800041
Right Angle	Absolute Bridge	8 in. (203.2 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP9003-80	U8616246	9102894	U8800041
Right Angle	Absolute Bridge	8 in. (203.2 mm)	0.03 in. (0.76 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP9003-80-1-3M	U8620126	9102894	U8800041
Right Angle	Absolute Bridge	9 in. (228.6 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP9003-90	U8616256	9102894	U8800041
Right Angle	Absolute Bridge	9 in. (228.6 mm)	0.03 in. (0.76 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP9003-90-1-3M	U8616257	9102894	U8800041
Right Angle	Absolute Bridge	10 in. (254 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP901-100	U8616565	9102894	U8800041
Right Angle	Absolute Bridge	12 in. (304.8 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP901-120	U8616279	9102894	U8800041
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.1 in. (2.54 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP901-30-1-3M	U8616180	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP901-40	U8620142	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.1 in. (2.54 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP901-40-200K-1M	U8616197	9102894	U8800041
Right Angle	Absolute Bridge	5 in. (127 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP901-50	U8616210	9102894	U8800041
Right Angle	Absolute Bridge	5 in. (127 mm)	0.1 in. (2.54 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP901-50-1-3M	U8616211	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP901-60	U8620147	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.1 in. (2.54 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP901-60-1-3M	U8620148	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.1 in. (2.54 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP901-60-200K-1M	U8620149	9102894	U8800041
Right Angle	Absolute Bridge	7 in.(177.8 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP901-70	U8610912	9102894	U8800041
Right Angle	Absolute Bridge	7 in.(177.8 mm)	0.1 in. (2.54 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP901-70-1-3M	U8620152	9102894	U8800041
Right Angle	Absolute Bridge	8 in. (203.2 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP901-80	U8616248	9102894	U8800041
Right Angle	Absolute Bridge	10 in. (254 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP902-100	U8610611	9102894	U8800041
Right Angle	Absolute Bridge	10 in. (254 mm)	0.2 in. (5.08 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP902-100-1-3M	U8616267	9102894	U8800041
Right Angle	Absolute Bridge	10 in. (254 mm)	0.2 in. (5.08 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Microdot	MP902-100-6M	U8616268	9102894	U8800041
Right Angle	Absolute Bridge	11 in. (279.4 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP902-110	U8610884	9102894	U8800041
Right Angle	Absolute Bridge	12 in. (304.8 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP902-120	U8616280	9102894	U8800041
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP902-30	U8620155	9102894	U8800041
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.2 in. (5.08 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP902-30-1-3M	U8620318	9102894	U8800041
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP902-30-200K-1M	U8610863	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP902-40	U8620156	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.2 in. (5.08 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP902-40-1-3M	U8620157	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP902-40-200K-1M	U8616198	9102894	U8800041
Right Angle	Absolute Bridge	5 in. (127 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP902-50	U8620163	9102894	U8800041
Right Angle	Absolute Bridge	5 in. (127 mm)	0.2 in. (5.08 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP902-50-1-3M	U8620316	9102894	U8800041

Type	Coil	Length	Drop	Frequency	Shaft Size	Connector	Part ID	Item N.	Cable ID	Item N.
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.2 in. (5.08 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP902-60-1-3M	U8620168	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP902-60-200K-1M	U8620401	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.2 in. (5.08 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Microdot	MP902-60-6M	U8616229	9102894	U8800041
Right Angle	Absolute Bridge	7 in.(177.8 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP902-70	U8610612	9102894	U8800041
Right Angle	Absolute Bridge	7 in.(177.8 mm)	0.2 in. (5.08 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP902-70-1-3M	U8620172	9102894	U8800041
Right Angle	Absolute Bridge	7 in.(177.8 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP902-70-200K-1M	U8616240	9102894	U8800041
Right Angle	Absolute Bridge	8 in. (203.2 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP902-80	U8616249	9102894	U8800041
Right Angle	Absolute Bridge	8 in. (203.2 mm)	0.2 in. (5.08 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP902-80-1-3M	U8620175	9102894	U8800041
Right Angle	Absolute Bridge	9 in. (228.6 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP902-90	U8620349	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP903-40	U8620325	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.3 in. (7.62 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP903-40-1-3M	U8616200	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.3 in. (7.62 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP903-40-200K-1M	U8616201	9102894	U8800041
Right Angle	Absolute Bridge	5 in. (127 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP903-50	U8620324	9102894	U8800041
Right Angle	Absolute Bridge	5 in. (127 mm)	0.3 in. (7.62 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP903-50-1-3M	U8620426	9102894	U8800041
Right Angle	Absolute Bridge	5 in. (127 mm)	0.3 in. (7.62 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP903-50-200K-1M	U8620406	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP903-60	U8620323	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.3 in. (7.62 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP903-60-1-3M	U8616230	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.3 in. (7.62 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP903-60-200K-1M	U8620181	9102894	U8800041
Right Angle	Absolute Bridge	8 in. (203.2 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP903-80	U8616250	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.4 in. (10.16 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP904-40	U8616203	9102894	U8800041
Right Angle	Absolute Bridge	5 in. (127 mm)	0.4 in. (10.16 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP904-50	U8616215	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.4 in. (10.16 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP904-60-1-3M	U8616231	9102894	U8800041
Right Angle	Absolute Bridge	10 in. (254 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP905-100	U8610727	9102894	U8800041
Right Angle	Absolute Bridge	11 in. (279.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP905-110	U8616276	9102894	U8800041
Right Angle	Absolute Bridge	11 in. (279.4 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP905-110-200K-1M	U8616277	9102894	U8800041
Right Angle	Absolute Bridge	12 in. (304.8 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP905-120	U8620184	9102894	U8800041
Right Angle	Absolute Bridge	12 in. (304.8 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP905-120-200K-1M	U8616284	9102894	U8800041
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP905-30	U8620186	9102894	U8800041
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP905-30-1-3M	U8616185	9102894	U8800041
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP905-30-200K-1M	U8610514	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP905-40	U8620188	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP905-40-1-3M	U8620189	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP905-40-200K-1M	U8629810	9102894	U8800041
Right Angle	Absolute Bridge	5 in. (127 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP905-50	U8620196	9102894	U8800041

Type	Coil	Length	Drop	Frequency	Shaft Size	Connector	Part ID	Item N.	Cable ID	Item N.
Right Angle	Absolute Bridge	5 in. (127 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP905-50-1-3M	U8620197	9102894	U8800041
Right Angle	Absolute Bridge	5 in. (127 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP905-50-200K-1M	U8610516	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP905-60	U8620200	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP905-60-1-3M	U8620201	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP905-60-200K-1M	U8610518	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Microdot	MP905-60-6M	U8616234	9102894	U8800041
Right Angle	Absolute Bridge	7 in.(177.8 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP905-70	U8620337	9102894	U8800041
Right Angle	Absolute Bridge	7 in.(177.8 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP905-70-1-3M	U8610677	9102894	U8800041
Right Angle	Absolute Bridge	7 in.(177.8 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP905-70-200K-1M	U8610815	9102894	U8800041
Right Angle	Absolute Bridge	8 in. (203.2 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP905-80	U8620209	9102894	U8800041
Right Angle	Absolute Bridge	9 in. (228.6 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Microdot	MP905-90	U8250066	9102894	U8800041
Right Angle	Absolute Bridge	9 in. (228.6 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP905-90-1-3M	U8620212	9102894	U8800041
Right Angle	Absolute Bridge	9 in. (228.6 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP905-90-200K-1M	U8250067	9102894	U8800041
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF9003-30	U8623331	9122244	U8800091
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.03 in. (0.76 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF9003-30-200K-1M	U8616188	9122244	U8800091
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF9003-40	U8610538	9122244	U8800091
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.03 in. (0.76 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF9003-40-200K-1M	U8616194	9122244	U8800091
Right Angle	Absolute Bridge	5 in. (127 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF9003-50	U8623068	9122244	U8800091
Right Angle	Absolute Bridge	5 in. (127 mm)	0.03 in. (0.76 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF9003-50-200K-1M	U8623069	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF9003-60	U8623070	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.03 in. (0.76 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF9003-60-1-6M	U8610773	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.03 in. (0.76 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF9003-60-200K-1M	U8623342	9122244	U8800091
Right Angle	Absolute Bridge	7 in.(177.8 mm)	0.03 in. (0.76 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF9003-70-1-6M	U8629355	9122244	U8800091
Right Angle	Absolute Bridge	8 in. (203.2 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF9003-80	U8623072	9122244	U8800091
Right Angle	Absolute Bridge	9 in. (228.6 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF9003-90	U8623329	9122244	U8800091
Right Angle	Absolute Bridge	5 in. (127 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF901-50	U8610711	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF901-60	U8623074	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.1 in. (2.54 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF901-60-1-6M	U8620287	9122244	U8800091
Right Angle	Absolute Bridge	7 in.(177.8 mm)	0.1 in. (2.54 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF901-70-1-6M	U8616241	9122244	U8800091
Right Angle	Absolute Bridge	10 in. (254 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-100	U8616272	9122244	U8800091
Right Angle	Absolute Bridge	12 in. (304.8 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-120	U8623075	9122244	U8800091
Right Angle	Absolute Bridge	12 in. (304.8 mm)	0.2 in. (5.08 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-120-1-6M	U8616285	9122244	U8800091
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-30	U8623076	9122244	U8800091
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-30-200K-1M	U8616190	9122244	U8800091
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-40	U8623078	9122244	U8800091

Type	Coil	Length	Drop	Frequency	Shaft Size	Connector	Part ID	Item N.	Cable ID	Item N.
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-40-200K-1M	U8623378	9122244	U8800091
Right Angle	Absolute Bridge	5 in. (127 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-50	U8623081	9122244	U8800091
Right Angle	Absolute Bridge	5 in. (127 mm)	0.2 in. (5.08 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-50-1-6M	U8620273	9122244	U8800091
Right Angle	Absolute Bridge	5 in. (127 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-50-200K-1M	U8620271	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-60	U8623083	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.2 in. (5.08 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-60-1-6M	U8623084	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-60-200K-1M	U8623085	9122244	U8800091
Right Angle	Absolute Bridge	7 in.(177.8 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-70	U8610614	9122244	U8800091
Right Angle	Absolute Bridge	7 in.(177.8 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-70-200K-1M	U8616242	9122244	U8800091
Right Angle	Absolute Bridge	8 in. (203.2 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-80	U8620353	9122244	U8800091
Right Angle	Absolute Bridge	9 in. (228.6 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-90	U8616262	9122244	U8800091
Right Angle	Absolute Bridge	9 in. (228.6 mm)	0.2 in. (5.08 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF902-90-1-6M	U8610542	9122244	U8800091
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF903-40	U8610543	9122244	U8800091
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.3 in. (7.62 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF903-40-1-6M	U8629904	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF903-60	U8623095	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.3 in. (7.62 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF903-60-1-6M	U8623096	9122244	U8800091
Right Angle	Absolute Bridge	8 in. (203.2 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF903-80	U8616254	9122244	U8800091
Right Angle	Absolute Bridge	5 in. (127 mm)	0.4 in. (10.16 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF904-50	U8616221	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.4 in. (10.16 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF904-60-1-6M	U8616239	9122244	U8800091
Right Angle	Absolute Bridge	10 in. (254 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-100	U8616274	9122244	U8800091
Right Angle	Absolute Bridge	10 in. (254 mm)	0.5 in. (12.7 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-100-1-6M	U8616275	9122244	U8800091
Right Angle	Absolute Bridge	11 in. (279.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-110	U8610544	9122244	U8800091
Right Angle	Absolute Bridge	12 in. (304.8 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-120	U8623102	9122244	U8800091
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-30	U8610545	9122244	U8800091
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-30-200K-1M	U8616191	9122244	U8800091
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-40	U8610546	9122244	U8800091
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.5 in. (12.7 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-40-1-6M	U8623103	9122244	U8800091
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-40-200K-1M	U8623104	9122244	U8800091
Right Angle	Absolute Bridge	5 in. (127 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-50	U8623106	9122244	U8800091
Right Angle	Absolute Bridge	5 in. (127 mm)	0.5 in. (12.7 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-50-1-6M	U8620272	9122244	U8800091
Right Angle	Absolute Bridge	5 in. (127 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-50-200K-1M	U8620270	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-60	U8623108	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	1 MHz to 6 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-60-1-6M	U8623109	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-60-200K-1M	U8623312	9122244	U8800091
Right Angle	Absolute Bridge	7 in.(177.8 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-70	U8616245	9122244	U8800091

Type	Coil	Length	Drop	Frequency	Shaft Size	Connector	Part ID	Item N.	Cable ID	Item N.
Right Angle	Absolute Bridge	8 in. (203.2 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-80	U8623114	9122244	U8800091
Right Angle	Absolute Bridge	9 in. (228.6 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.125 in. (3.17 mm)	Triax Fischer	MTF905-90	U8616263	9122244	U8800091
Right Angle	Absolute Bridge	5 in. (127 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.05 in. (1.27 mm)	Microdot	MXP905-50	U8616368	9102894	U8800041
Right Angle	Absolute Bridge	5 in. (127 mm)	0.1 in. (2.54 mm)	200 kHz to 1 MHz	0.05 in. (1.27 mm)	Triax Fischer	MXTF901-50-200K-1M	U8623133	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.05 in. (1.27 mm)	Triax Fischer	MXTF902-60	U8610846	9122244	U8800091
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.05 in. (1.27 mm)	Triax Fischer	MXTF905-40	U8623241	9122244	U8800091
Right Angle	Absolute Bridge	5 in. (127 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.05 in. (1.27 mm)	Triax Fischer	MXTF905-50	U8629713	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.05 in. (1.27 mm)	Triax Fischer	MXTF905-60	U8629715	9122244	U8800091
Right Angle	Absolute Bridge	7 in. (177.8 mm)	0.1 in. (2.54 mm)	1 MHz to 3 MHz	0.094 in. (2.39 mm)	Microdot	MYP901-70-1-3M	U8616436	9102894	U8800041
Right Angle	Absolute Bridge	7 in. (177.8 mm)	0.5 in. (12.7 mm)	1 MHz to 3 MHz	0.094 in. (2.39 mm)	Microdot	MYP905-70-1-3M	U8616437	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.1 in. (2.54 mm)	50 kHz to 500 kHz	0.094 in. (2.39 mm)	Triax Fischer	MYTF901-60	U8623364	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.094 in. (2.39 mm)	Triax Fischer	MYTF905-60	U8616430	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.03 in. (0.76 mm)	50 kHz to 500 kHz	0.062 in. (1.57 mm)	Microdot	MZP9003-60	U8629883	9102894	U8800041
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.062 in. (1.57 mm)	Microdot	MZP902-40	U8610904	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.062 in. (1.57 mm)	Microdot	MZP902-60	U8629881	9102894	U8800041
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.062 in. (1.57 mm)	Microdot	MZP902-60-200K-1M	U8629882	9102894	U8800041
Right Angle	Absolute Bridge	5 in. (127 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.062 in. (1.57 mm)	Microdot	MZP905-50	U8610953	9102894	U8800041
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.062 in. (1.57 mm)	Triax Fischer	MZTF902-30	U8616431	9122244	U8800091
Right Angle	Absolute Bridge	3 in. (76.2 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.062 in. (1.57 mm)	Triax Fischer	MZTF902-30-200K-1M	U8623377	9122244	U8800091
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.062 in. (1.57 mm)	Triax Fischer	MZTF902-40	U8629875	9122244	U8800091
Right Angle	Absolute Bridge	5 in. (127 mm)	0.2 in. (5.08 mm)	1 MHz to 6 MHz	0.062 in. (1.57 mm)	Triax Fischer	MZTF902-50-1-6M	U8630044	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.2 in. (5.08 mm)	50 kHz to 500 kHz	0.062 in. (1.57 mm)	Triax Fischer	MZTF902-60	U8623365	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.2 in. (5.08 mm)	200 kHz to 1 MHz	0.062 in. (1.57 mm)	Triax Fischer	MZTF902-60-200K-1M	U8623376	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.3 in. (7.62 mm)	50 kHz to 500 kHz	0.062 in. (1.57 mm)	Triax Fischer	MZTF903-60	U8623366	9122244	U8800091
Right Angle	Absolute Bridge	4 in. (101.6 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.062 in. (1.57 mm)	Triax Fischer	MZTF905-40	U8623371	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.5 in. (12.7 mm)	50 kHz to 500 kHz	0.062 in. (1.57 mm)	Triax Fischer	MZTF905-60	U8623368	9122244	U8800091
Right Angle	Absolute Bridge	6 in. (152.4 mm)	0.2 in. (5.08 mm)	1 MHz to 3 MHz	0.125 in. (3.17 mm)	Microdot	MP902-60FX-1-3M	U8620171	9102894	U8800041
Right Angle	Absolute Bridge	5 in. (127 mm)	0.3 in. (7.62 mm)	200 kHz to 1 MHz	0.125 in. (3.17 mm)	Microdot	MP903-50-200K-1M	U8620406	9102894	U8800041